# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - Europe

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Tau lnk 2 Cyan

Product code : 1690191
Trade name : Cyan
Tau Ink 2

Date of issue/ Date of revision : 24 December 2018

Version : 5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses				
Colorant; Printing ink related material; Printing ink.				

Uses advised against	Reason
Not applicable.	

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor : Durst Phototechnik AG

Julius-Durst-Strasse 4

39042 Brixen

Italy

Tel: +39 0472 810111 Fax: +39 0472 830980

For Chemical Emergency

Spill, Leak, Fire, Exposure, or Accident Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue : 24 December Page: 1/16

### **SECTION 2: Hazards identification**

Kin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317

Repr. 2, H361fd (Fertility and Unborn child)

STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** 









Signal word : Danger

**Hazard statements** : **C**auses serious eye damage.

Causes skin irritation.

May cause an allergic skin reaction.

Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

**Prevention**: Wear protective gloves. Wear eye or face protection. Obtain special instructions

before use. Do not eat, drink or smoke when using this product.

**Response** : IF exposed or concerned: Get medical attention. IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Disposal : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Hazardous ingredients : Fexamethylene diacrylate

oxybis(methyl-2,1-ethanediyl) diacrylate 1-vinylhexahydro-2H-azepin-2-one

2-phenoxyethyl acrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Glycerol, propoxylated, esters with acrylic acid

2,6-bis(1,1-dimethylethyl)-4-(phenylenemethylene)cyclohexa-2,5-dien-1-one

Supplemental label

elements

: Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

: None known.

Date of issue : 24 December Page: 2/16 2018

# **SECTION 3: Composition/information on ingredients**

Substance/mixture : Mixture

			<u>Classification</u>	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
xexamethylene diacrylate	REACH #: 01-2119484737-22 EC: 235-921-9 CAS: 13048-33-4 Index: 607-109-00-8	25 < 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	[1]
oxybis(methyl-2,1-ethanediyl) diacrylate	REACH #: 01-2119484629-21 EC: 260-754-3 CAS: 57472-68-1	20 < 25	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317	[1]
1-vinylhexahydro-2H-azepin-2-one	REACH #: 01-2119977109-27 EC: 218-787-6 CAS: 2235-00-9	10 < 20	Acute Tox. 4, H302 Acute Tox. 4, H312 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 (liver) (inhalation)	[1]
2-phenoxyethyl acrylate	REACH #: 01-2119980532-35 EC: 256-360-6 CAS: 48145-04-6	5 < 10	Skin Sens. 1A, H317 Repr. 2, H361fd (Fertility and Unborn child) (oral) Aquatic Chronic 2, H411	[1]
phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide	REACH #: 01-2119489401-38 EC: 423-340-5 CAS: 162881-26-7 Index: 015-189-00-5	3 < 5	Skin Sens. 1A, H317 Aquatic Chronic 4, H413	[1]
diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	REACH #: 01-2119972295-29 EC: 278-355-8 CAS: 75980-60-8	3 < 5	Skin Sens. 1, H317 Repr. 2, H361f (Fertility) (oral) Aquatic Chronic 2, H411	
Oligo[2-hydroxy-2-methyl-1-[4- (1-methylvinyl)phenyl]propanone]	REACH #: 01-0000015270-82 CAS: proprietary	1.0 < 3.0	Repr. 2, H361f (Fertility)	[1]
2-hydroxy-2-methylpropiophenone	EC: 231-272-0 CAS: 7473-98-5	1.0 < 2.5	Acute Tox. 4, H302 Aquatic Chronic 3, H412	[1]
Glycerol, propoxylated, esters with acrylic acid	REACH #: 01-2119487948-12 EC: 500-114-5 CAS: 52408-84-1	0.25 < 1.0	Eye Irrit. 2, H319 Skin Sens. 1, H317	[1]
hydrogen [29H,31H-phthalocyaninesulphonato(3-)-N29,N30, N31,N32]cuprate(1-), compound with dodecylamine (1:1)	REACH #: 01-2120101495-65 EC: 277-475-8 CAS: 73455-75-1	0.1 < 0.25	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1]
2,6-bis(1,1-dimethylethyl)-4- (phenylenemethylene)cyclohexa-2,5-dien- 1-one	REACH #: 01-0000017575-64 EC: 429-460-4 CAS: 7078-98-0 Index: 606-117-00-9	0.1 < 0.25	Skin Sens. 1, H317 Aquatic Chronic 4, H413	[1]
2,6-di-tert-butyl-p-cresol	REACH #: 01-2119480433-40 EC: 204-881-4	0.1 < 0.25	Aquatic Acute 1, H400 (M=1)	[1]

Date of issue : 24 December

2018

Page: 3/16

1690191

# **SECTION 3: Composition/information on ingredients**

	CAS: 128-37-0		Aquatic Chronic 1, H410 (M=1)	
phenol	EC: 203-632-7 CAS: 108-95-2 Index: 604-001-00-2	0.00651	Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 Muta. 2, H341 STOT RE 2, H373 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)  See Section 16 for the full text of the H	[1]
			statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

### **Type**

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General : In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery

position and seek medical advice.

Eye contact : Check for and remove any contact lenses. Immediately flush eyes with room

temperature water for at least 15 minutes, keeping eyelids open. In case of accidental eye contact, avoid concurrent exposure to the sun or other sources of UV

light which may increase the sensitivity of the eyes.

Inhalation : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is

irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by

trained personnel.

Skin contact : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. In case of

accidental skin contact, avoid concurrent exposure to the sun or other sources of

UV light which may increase the sensitivity of skin.

Ingestion : If swallowed, seek medical advice immediately and show this container or label.

Keep person warm and at rest. Do NOT induce vomiting.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

Date of issue: 24 December Page: 4/16

### SECTION 4: First aid measures

### 4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Ingestion may cause nausea, weakness and central nervous system effects.

Contains hexamethylene diacrylate, oxybis(methyl-2,1-ethanediyl) diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide, Glycerol, propoxylated, esters with acrylic acid, 2,6-bis(1,1-dimethylethyl)-4-(phenylenemethylene) cyclohexa-2,5-dien-1-one. May produce an allergic reaction.

The following products have sensitizing properties: hexamethylene diacrylate, oxybis(methyl-2,1-ethanediyl) diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide. Cases of hypersensitivity may occur, possibly with crosssensitization to other acrylate materials.

### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to medical doctor : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO<sub>2</sub>, water spray (fog) or foam.

Unsuitable extinguishing

media

: Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

**Hazardous thermal** decomposition products : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

: Decomposition products may include the following materials: carbon monoxide,

### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.

Special protective equipment for fire-fighters : Appropriate breathing apparatus may be required.

carbon dioxide, smoke, oxides of nitrogen.

Date of issue: 24 December Page: 5/16

### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: Exclude sources of ignition and ventilate the area. Avoid breathing vapor or mist.

Refer to protective measures listed in sections 7 and 8.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

6.2 Environmental precautions

sections

: Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local

regulations.

6.3 Methods and materials for containment and cleaning up

: Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.

6.4 Reference to other

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

Persons with a history of skin sensitization problems should not be employed in any process in which this product is used, without Personal Protective Equipment measures.

7.1 Precautions for safe handling

: Use only in well-ventilated areas.

Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this mixture. Keep container tightly closed. Keep away from heat, sparks and flame.

Always keep in containers made from the same material as the original one.

Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel.

Eating, drinking and smoking should be prohibited in areas where this material is

handled, stored and processed.

Comply with the health and safety at work laws.

7.2 Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: 5 - 35 °C

Keep away from heat and direct sunlight.

Store in accordance with local regulations.

Notes on joint storage

Keep away from: oxidizing agents, strong alkalis, strong acids.

Additional information on storage conditions

Observe label precautions. Store in a dry, cool and well-ventilated area. Keep away from heat and direct sunlight.

Keep container tightly closed.

Keep away from sources of ignition. No smoking. Prevent unauthorized access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep only in the original container.

Keep away from heat and direct sunlight.

7.3 Specific end use(s)

Not available. Recommendations Not available. Industrial sector specific

Date of issue: 24 December

2018

solutions

Page: 6/16

# **SECTION 7: Handling and storage**

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
phenol	EU OEL (Europe, 12/2009). Absorbed through skin. Notes: list of indicative occupational exposure limit values  TWA: 8 mg/m³ 8 hours.  TWA: 2 ppm 8 hours.  STEL: 16 mg/m³ 15 minutes.  STEL: 4 ppm 15 minutes.

# Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### **DNELs/DMELs**

Product/ ingredient name	Туре	Exposure	Value	Population	Effects
rexamethylene diacrylate	DNEL	Long term Inhalation	24.48 mg/m³	Workers	Systemic
	DNEL	Long term Dermal, Inhalation	2.77 mg/kg bw/day	Workers	Systemic
oxybis(methyl-2,1-ethanediyl) diacrylate	DNEL	Long term Inhalation	24.28 mg/m <sup>3</sup>	Workers	Systemic
	<b>DNEL</b>	Long term Dermal	2.77 mg/kg bw/day	Workers	Systemic
1-vinylhexahydro-2H-azepin-2-one	<b>DNEL</b>	Long term Inhalation	4.9 mg/m <sup>3</sup>	Workers	Systemic
	<b>DNEL</b>	Long term Inhalation	0.17 mg/m <sup>3</sup>	Workers	Local
	<b>DNEL</b>	Long term Dermal	0.7 mg/kg bw/day	Workers	Systemic
2-phenoxyethyl acrylate	DNEL	Long term Inhalation	12 mg/m³	Workers	Systemic
	<b>DNEL</b>	Long term Dermal	3.5 mg/kg bw/day	Workers	Systemic
phenyl bis(2,4,6-trimethylbenzoyl)- phosphine oxide	DNEL	Long term Inhalation	21 mg/m³	Workers	Systemic
	DNEL	Long term Dermal	3 mg/kg bw/day	Workers	Systemic
diphenyl(2,4,6-trimethylbenzoyl) phosphine oxide	DNEL	Long term Inhalation	3.5 mg/m³	Workers	Systemic
•	DNEL	Long term Dermal	1 mg/kg bw/day	Workers	Systemic
Glycerol, propoxylated, esters with acrylic acid	DNEL	Long term Inhalation	16.22 mg/m³	Workers	Systemic
•	DNEL	Long term Dermal	1.92 mg/kg bw/day	Workers	Systemic
2,6-di-tert-butyl-p-cresol	DNEL	Long term Inhalation	3.5 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	0.5 mg/kg bw/day	Workers	Systemic
phenol	DNEL	Long term Inhalation	8 mg/m³	Workers	Systemic
	DNEL	Short term Inhalation	16 mg/m³	Workers	Local
	DNEL	Long term Dermal	1.23 mg/kg bw/day	Workers	Systemic

### **PNECs**

Date of issue : 24 December Page: 7/16

# SECTION 8: Exposure controls/personal protection

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
examethylene diacrylate	- 7	Fresh water	0.0015 mg/l	
Mexametriyierie diaci yiate	-	Marine water	0.0015 mg/l	- -
	-	Sewage Treatment	2.7 mg/l	_
	-	Plant	2.7 mg/i	_
		Fresh water sediment	0.0242 ma/ka dut	
	_		0.0243 mg/kg dwt	-
	_	Marine water sediment	0.00243 mg/kg	-
		Cail	dwt	
	-	Soil	0.00397 mg/kg	-
avubia (mathad 2.1 athamadid)		Frank water	dwt	
oxybis(methyl-2,1-ethanediyl)	-	Fresh water	0.0034 mg/l	-
diacrylate		Marina	0.00004/	
	-	Marine water	0.00034 mg/l	-
	-	Sewage Treatment	100 mg/l	-
		Plant	0.00004 mag/lea	
	-	Fresh water sediment	0.00884 mg/kg	-
		Cail	dwt	
1 vinylhavahydra Ol Lazania O ana	-	Soil	0.0013 mg/kg dwt	-
1-vinylhexahydro-2H-azepin-2-one	-	Fresh water	0.1 mg/l	-
	-	Marine water	0.01 mg/l	-
	-	Sewage Treatment	262 mg/l	-
		Plant	0.000 //	
	-	Fresh water sediment	0.829 mg/kg	-
	-	Marine water sediment	0.0829 mg/kg	-
Objection of the state of the s	-	Soil	0.107 mg/kg	-
Glycerol, propoxylated, esters with	-	Fresh water	0.00574 mg/l	-
acrylic acid		Marina	0.000574	
	-	Marine water	0.000574 mg/l	-
	-	Sewage Treatment	10 mg/l	-
		Plant	0.04607	
	-	Fresh water sediment	0.01687 mg/kg dwt	-
		Marina water addiment		
	-	Marine water sediment	0.001687 mg/kg	-
		Soil	dwt	
	_	Soil	0.00111 mg/kg dwt	-
		Secondary Poisoning	5.6 mg/kg	
2.6 di tart butul p arasal	_	Fresh water		-
2,6-di-tert-butyl-p-cresol	_	Marine water	4 μg/l  0.4 μg/l	-
	-	Sewage Treatment	100 mg/l	-
	-	Plant	100 mg/i	-
		Fresh water sediment	1.29 mg/kg dwt	
	[	Soil	1.04 mg/kg dwt	<u> </u>
		Secondary Poisoning	16.7 mg/kg dwt	<u> </u>
phenol	1	Fresh water	0.0077 mg/l	_
priction		Marine water	0.0077 mg/l	
		Fresh water sediment	0.00077 mg/l 0.0915 mg/kg dwt	_
	[	Marine water sediment	0.00915 mg/kg dwt	<u> </u>
	[ -	I Walling Waler Sculling III	dwt	-
		Soil	0.136 mg/kg dwt	
		Sewage Treatment	2.1 mg/l	_
	[	Plant	2.1 mg/1	_
		I IGIIL		

### 8.2 Exposure controls

Appropriate engineering controls

: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapors below the OEL, suitable respiratory protection must be worn.

Date of issue : 24 December Page: 8/16

# SECTION 8: Exposure controls/personal protection

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Skin protection

: Use safety eyewear designed to protect against splash of liquids.

Hand protection

: Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

**Gloves** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately

estimated.

**Gloves** 

"RadTech recommend use of:

-single use: disposable, unpowdered, nitrile gloves: Use for short duration exposures not exceeding 30 minutes, in situations where only splashes are likely. Do not use where mechanical resistance is required or where puncturing or tearing of the gloves is likely to occur. Replace immediately if punctured, degraded or tearing of the gloves has occurred.

-general use: minimum 0.45mm thick, unlined, unpowdered, natural rubber latexfree nitrile gloves: Use for longer duration exposure (up to 4 hours for most UV/EB curing acrylates) or mechanical handling activities. Replace immediately when punctured or when a change of appearance (colour, elasticity, shape) occurs - heavy duty: unlined, natural rubber latex-free nitrile gloves: Use when handling solvents. Avoid the use of chlorinated solvents and limit the use of ketones (e.g. acetone, MEK, MIBK) and ethyl and butyl acetates, as they may accelerate glove deterioration."

**Body protection** 

: Personnel should wear protective clothing.

Respiratory protection

: In situations where misting or flying may occur, use appropriate certified respirators.

**Environmental exposure** 

controls

: Do not allow to enter drains or watercourses.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : Liquid. Color : Blue.

Odor : Characteristic. Not applicable. **Odor threshold** Melting point/freezing point : Not applicable.

: 96°C Flash point VOC 0% : Not tested pН **Explosion limits** : Not available.

**Boiling point** : Lowest known value: 132°C (270°F)

: Highest known value: <1 (Alkyl Acrylate Ester) Weighted average: 0.9compared **Evaporation rate** 

with butyl acetate

Date of issue: 24 December

2018

Page: 9/16

# **SECTION 9: Physical and chemical properties**

Vapor pressure : Not tested
Vapor density : Not tested
Relative density : Not tested
Solubility(ies) : Not tested
Partition coefficient: n-octanol/ : Not applicable.

water

Auto-ignition temperature: Not applicable.Decomposition temperature: Not applicable.Viscosity: Not testedExplosive properties: Not applicable.Oxidizing properties: Not applicable.

### 9.2 Other information

No additional information.

# **SECTION 10: Stability and reactivity**

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : Hazardous reactions or instability may occur under certain conditions of storage or

use.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : This mixture contains materials which are unstable under the following conditions:

exposure to heat, strong UV sources. These could cause the product to polymerize

exothermically. Unintentional contact with them should be avoided.

**10.5 Incompatible materials**: Keep away from: free radical initiators, peroxides, strong alkalis, reactive metals.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

**Hazardous polymerization**: May polymerize on exposure to sunlight.

# **SECTION 11: Toxicological information**

There are no data available on the mixture itself. Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. Acrylate components of the mixture have irritating properties. Prolonged or repeated contact with skin or mucous membrane may result in irritation symptoms, such as redness, blistering, dermatitis etc. May cause allergic skin reactions with repeated exposure.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.

Ingestion may cause nausea, weakness and central nervous system effects.

Contains hexamethylene diacrylate, oxybis(methyl-2,1-ethanediyl) diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)phosphine

Date of issue: 24 December Page: 10/16

# **SECTION 11: Toxicological information**

oxide, Glycerol, propoxylated, esters with acrylic acid, 2,6-bis(1,1-dimethylethyl)-4-(phenylenemethylene)cyclohexa-2, 5-dien-1-one. May produce an allergic reaction.

The following products have sensitizing properties: hexamethylene diacrylate, oxybis(methyl-2,1-ethanediyl) diacrylate, 1-vinylhexahydro-2H-azepin-2-one, 2-phenoxyethyl acrylate, phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide. Cases of hypersensitivity may occur, possibly with cross-sensitization to other acrylate materials.

### 11.1 Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
examethylene diacrylate	LD50 Oral	Rat	5 g/kg	-
oxybis(methyl-2, 1-ethanediyl) diacrylate	LD50 Dermal	Rabbit	>2 g/kg	-
3,7	LD50 Oral	Rat	4600 mg/kg	-
1-vinylhexahydro-2H-azepin- 2-one	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	1400 mg/kg	-
2-hydroxy- 2-methylpropiophenone	LD50 Dermal	Rat	6929 mg/kg	-
	LD50 Oral	Rat	1694 mg/kg	_
phenol	LC50 Inhalation Vapor	Rat	316 mg/m <sup>3</sup>	4 hours
•	LD50 Dermal	Rabbit	630 mg/kg	-
	LD50 Dermal	Rat	669 mg/kg	-
	LD50 Oral	Rat	317 mg/kg	-

### **Irritation/Corrosion**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

### **Sensitization**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

#### **Mutagenicity**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

### **Carcinogenicity**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Reproductive toxicity

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

### **Teratogenicity**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

### Specific target organ toxicity (single exposure)

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

### Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
√-vinylhexahydro-2H-azepin-2-one	Category 1	Inhalation	liver
phenol	Category 2	Not determined	Not determined

### **Aspiration hazard**

Not determined - Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue : 24 December Page: 11/16

# **SECTION 12: Ecological information**

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]. See Sections 2 and 3 for details.

### 12.1 Toxicity

phenol Acute LC50 6000 μg/l Fresh water Crustaceans - Sida crystallina 48 hours

Acute LC50 3100 μg/l Fresh water Daphnia - Ceriodaphnia dubia - 48 hours

Neonate - <12 hours

Acute LC50 1.75 μg/l Fresh water Fish - Cyprinus carpio - 96 hours

LARVAE - 8 mm

Chronic NOEC 2200 µg/l Fresh water Daphnia - Daphnia magna - 48 hours

≤24 hours

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
xexamethylene diacrylate	2.81	-	low
oxybis(methyl-2,	0.01 to 0.39	-	low
1-ethanediyl) diacrylate			
phenyl bis(2,4,	5.77	-	high
6-trimethylbenzoyl)-			
phosphine oxide			
2-hydroxy-	1.62	-	low
2-methylpropiophenone			
Glycerol, propoxylated,	2.52	-	low
esters with acrylic acid	- 0		la i aula
2,6-bis(1,1-dimethylethyl)-4-	>6	-	high
(phenylenemethylene) cyclohexa-2,5-dien-1-one			
2,6-di-tert-butyl-p-cresol	5.1		high
phenol	1.47	_	low
hiletioi	1.47	-	IOW

### 12.4 Mobility in soil

Soil/water partition

coefficient (Koc)

: Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

Date of issue: 24 December Page: 12/16

# **SECTION 13: Disposal considerations**

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

For further information, contact your local waste authority.

#### 13.1 Waste treatment methods

### **Product**

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

### **Packaging**

Methods of disposal

: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

European Waste Catalogue (EWC):

: 08 03 12 waste ink containing hazardous substances

**Special precautions** 

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	<b>☑</b> N3082	<b>№</b> N3082	<b>№</b> N3082	<b>№</b> N3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; 2-propenoic acid, 2-phenoxyethyl ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; 2-propenoic acid, 2-phenoxyethyl ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; 2-propenoic acid, 2-phenoxyethyl ester)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hexamethylene diacrylate; 2-propenoic acid, 2-phenoxyethyl ester)
14.3 Transport hazard class(es)				
14.4 Packing group	III.	III.	III.	III.
14.5 Environmental hazards	<b>y</b> es.	<b>y</b> es.	<b>y</b> es.	<b>y</b> es.

Date of issue: 24 December Page: 13/16

# **SECTION 14: Transport information**

Additional	This product is not	This product is not	This product is not	his product is not
information	regulated as a	regulated as a	regulated as a	regulated as a
	dangerous good when	dangerous good when	dangerous good when	dangerous good when
	transported in sizes of			
	≤5 L or ≤5 kg,			
	provided the	provided the	provided the	provided the
	packagings meet the	packagings meet the	packagings meet the	packagings meet the
	general provisions of	general provisions of	general provisions of	general provisions of
	4.1.1.1, 4.1.1.2 and 4.	4.1.1.1, 4.1.1.2 and 4.	4.1.1.1, 4.1.1.2 and 4.	5.0.2.4.1, 5.0.2.6.1.1
	1.1.4 to 4.1.1.8.	1.1.4 to 4.1.1.8.	1.1.4 to 4.1.1.8.	and 5.0.2.8.

14.6 Special precautions for user

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

: Not available.

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### **Other EU regulations**

Product/ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
	-	-	Repr. 2, H361d (Unborn child) (oral)	Repr. 2, H361f (Fertility) (oral)
diphenyl(2,4, 6-trimethylbenzoyl) phosphine oxide	-	-	<u>-</u>	Repr. 2, H361f (Fertility) (oral)
Oligo[2-hydroxy-2-methyl- 1-[4-(1-methylvinyl)phenyl] propanone]	-	-	-	Repr. 2, H361f (Fertility)
phenol	-	Muta. 2, H341	-	-

Industrial use

: The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

15.2 Chemical Safety Assessment

: No Chemical Safety Assessment has been carried out.

Assessment

Date of issue : 24 December Page: 14/16

Page: 15/16

# SECTION 15: Regulatory information

### **SECTION 16: Other information**

CEPE code : 4

Indicates information that has changed from previously issued version.

Abbreviations and

: ATE = Acute Toxicity Estimate

acronyms

CLP = Classification, Labelling and Packaging Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Skin Irrit. 2, H315	Calculation method	
Eye Dam. 1, H318	Calculation method	
Skin Sens. 1, H317	Calculation method	
Repr. 2, H361fd (Fertility and Unborn child)	Calculation method	
STOT RE 1, H372	Calculation method	
Aquatic Acute 1, H400	Calculation method	
Aquatic Chronic 2, H411	Calculation method	

Full text of abbreviated H statements

H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H312 Harmful in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.H361f Suspected of damaging fertility if swallowed.

(oral)

H361f Suspected of damaging fertility.

H361fd Suspected of damaging fertility if swallowed. Suspected of damaging the

(oral) unborn child if swallowed.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H372 Causes damage to organs through prolonged or repeated exposure if

(inhalation) inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

ns

Full text of classifications [CLP/GHS]

Acute Tox. 3, H301
Acute Tox. 3, H311
Acute Tox. 3, H311
Acute Tox. 3, H331
Acute Tox. 4, H302
Acute Tox. 4, H302
Acute Tox. 4, H312
Acute Tox. 4, H302
Acute Tox. 4,

Date of issue : 24 December

### **SECTION 16: Other information**

Aquatic Chronic 3, H412 AQUATIC HAZARD (LONG-TERM) - Category 3 Aquatic Chronic 4, H413 AQUATIC HAZARD (LONG-TERM) - Category 4

Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Muta. 2, H341 GERM CELL MUTAGENICITY - Category 2

Repr. 2, H361f (oral)

Repr. 2, H361f

TOXIC TO REPRODUCTION (Fertility) (oral) - Category 2

TOXIC TO REPRODUCTION (Fertility) - Category 2

TOXIC TO REPRODUCTION (Fertility) and Unborn child)

(oral) - Category 2

Repr. 2, H361fd TOXIC TO REPRODUCTION (Fertility and Unborn child) -

Category 2

Skin Corr. 1B, H314
Skin CORROSION/IRRITATION - Category 1B
Skin Irrit. 2, H315
Skin CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1
Skin Sens. 1A, H317 SKIN SENSITIZATION - Category 1A

STOT RE 1, H372 SPECIFIC TARGET ORGAN TOXICITY (REPEATED

(inhalation) EXPOSURE) (inhalation) - Category 1

STOT RE 1, H372 SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) - Category 1

STOT RE 2, H373 SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) - Category 2

Date of printing : 23 January 2019

Date of previous issue : 10 September 2018

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

### Annex

Date of issue : 24 December Page: 16/16